

L Number	Hits	Search Text	DB	Time stamp
1	2225	report near select\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:57
2	56	((report near select\$5) and log adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:50
3	2	((report near select\$5) and log adj data) and report adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:46
4	73	(report near select\$5) and report adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:51
5	51	((report near select\$5) and log adj data) and software	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:47
6	366	(report near select\$5) and log adj2 (file or report\$4 or analy\$6 or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:51
7	17	((report near select\$5) and log adj2 (file or report\$4 or analy\$6 or data)) and report adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:52
8	4131	report\$3 near select\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:58
9	162	(report\$3 near select\$5) and (plurality or multiple or number) adj reports!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:59
10	26	((report\$3 near select\$5) and (plurality or multiple or number) adj reports!) and set adj report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:59

L Number	Hits	Search Text	DB	Time stamp
2	0	(report adj identifier) and set near2 (report adj requirement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:19
3	1	set near2 (report adj requirement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:14
4	86	report adj requirements!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:14
5	1	(report adj identifier) and (report adj requirements!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:14
1	82	report adj identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:16
6	2	(report adj identifier) and log adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:17
7	1	(report adj identifier) and (report adj requirement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:19
8	181	system adj log adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:20
9	39	(system adj log adj file) and (707/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:22
10	3	((system adj log adj file) and (707/\$.ccls. or 345/\$.ccls.)) and (GUI or (graphic\$5 adj user adj interface)) and report\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:32
11	2469	(GUI or (graphic\$5 adj user adj interface)) same report\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:22
12	553	((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:49
13	48	((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:50

14	122	(((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and record and data adj types	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:23
15	22	(((((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj file)) and record and data adj types	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:23
16	11	((((((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj file)) and record and data adj types) and format same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:24
17	8	((((((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj file)) and record and data adj types) and format same database) and (convert\$4 or conversion) with (format or log or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:28
18	8	((((((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj file)) and record and data adj types) and (convert\$4 or conversion) with (format or log or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:28
19	84153	707/\$.ccls. or 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:29
20	38	(707/\$.ccls. or 345/\$.ccls.) and report near names!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:29
21	17	((707/\$.ccls. or 345/\$.ccls.) and report near names!) and (GUI or (graphic\$5 adj user adj interface)) and report\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:39
22	5	((((707/\$.ccls. or 345/\$.ccls.) and report near names!) and (GUI or (graphic\$5 adj user adj interface)) and report\$4) and log adj2 (file or record or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:49
23	396	crystal near2 report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:49
24	33	(crystal near2 report) and (707/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:50
25	2	((crystal near2 report) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:51
26	0	((crystal near2 report) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj2 record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:51

27	23	((crystal near2 report) and (707/\$.ccls. or 345/\$.ccls.)) and (log) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:53
28	23	((crystal near2 report) and (707/\$.ccls. or 345/\$.ccls.)) and (log) and database and report\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:54
29	2	((crystal near2 report) and (707/\$.ccls. or 345/\$.ccls.)) and (log) and database and (report\$4 adj table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:55
30	2	((crystal near2 report) and (707/\$.ccls. or 345/\$.ccls.)) and (log) and (report\$4 adj table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:55
31	0	((crystal near2 report) and (707/\$.ccls. or 345/\$.ccls.)) and (log) same (report\$4 adj table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:55

L Number	Hits	Search Text	DB	Time stamp
1	469	log adj (file and record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:04
2	13	((log adj (file and record)) and log with record with (relational adj database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:05
3	747	(log adj file) and (log adj2 record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:22
4	13	((log adj file) and (log adj2 record)) and log with record with (relational adj database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:29
5	40	((log adj file) and (log adj2 record)) and log same (relational adj database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:09
6	6	((log adj file) and (log adj2 record)) and log same (relational adj database)) and (GUI or (graphic\$5 adj user adj interface)) same report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:20
7	29	((log adj file) and (log adj2 record)) and (log adj2 (file or data or record)) same (relational adj database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:12
8	5	((log adj file) and (log adj2 record)) and (log adj2 (file or data or record)) same (relational adj database)) and (GUI or (graphic\$5 adj user adj interface)) same report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:22
9	141	((log adj file) and (log adj2 record)) and (log adj2 (file or data or record)) and (relational adj database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:12
10	5	((log adj file) and (log adj2 record)) and (log adj2 (file or data or record)) and (relational adj database)) and report adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:14
11	8	((log adj file) and (log adj2 record)) and report adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:15
12	204	((log adj file) and (log adj2 record)) and (generat\$4 or creat\$4 or establish\$5 or build\$6 or implement\$6 or construct\$6) near6 report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:16
13	42	((log adj file) and (log adj2 record)) and (generat\$4 or creat\$4 or establish\$5 or build\$6 or implement\$6 or construct\$6) near6 report\$3) and (timestamp\$4 or (time adj stamp\$4)) with record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:20

14	12	(((((log adj file) and (log adj2 record)) and (generat\$4 or creat\$4 or establish\$5 or build\$6 or implement\$6 or construct\$6) near6 report\$3) and (timestamp\$4 or (time adj stamp\$4)) with record) and (707/\$.ccls. or 345/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:20
15	3	(((((log adj file) and (log adj2 record)) and (generat\$4 or creat\$4 or establish\$5 or build\$6 or implement\$6 or construct\$6) near6 report\$3) and (timestamp\$4 or (time adj stamp\$4)) with record) and (707/\$.ccls. or 345/\$.ccls.)) and (GUI or (graphic\$5 adj user adj interface)) same report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:20
16	0	(log adj file) and (log adj2 (rdata and record))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:22
17	288	(log adj file) and (log adj2 (data and record))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:27
18	17	((log adj file) and (log adj2 (data and record))) and (GUI or (graphic\$5 adj user adj interface)) same report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:27
19	7	(((((log adj file) and (log adj2 (data and record))) and (GUI or (graphic\$5 adj user adj interface)) same report\$3) and data adj types!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:26
20	44	(log adj file) and (log adj2 (data and record)) and data adj types!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:27
21	7	((log adj file) and (log adj2 (data and record)) and data adj types!) and (GUI or (graphic\$5 adj user adj interface)) same report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:27
22	22	((log adj file) and (log adj2 (data and record)) and data adj types!) and (GUI or (graphic\$5 adj user adj interface)) and report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:27
23	17	(((((log adj file) and (log adj2 (data and record)) and data adj types!) and (GUI or (graphic\$5 adj user adj interface)) and report\$3) and log and record and (relational adj database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 13:30

L Number	Hits	Search Text	DB	Time stamp
2	0	(report adj identifier) and set near2 (report adj requirement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:19
3	1	set near2 (report adj requirement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:14
4	86	report adj requirements!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:14
5	1	(report adj identifier) and (report adj requirements!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:14
1	82	report adj identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:16
6	2	(report adj identifier) and log adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:17
7	1	(report adj identifier) and (report adj requirement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:19
8	181	system adj log adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:20
9	39	(system adj log adj file) and (707/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:22
10	3	((system adj log adj file) and (707/\$.ccls. or 345/\$.ccls.)) and (GUI or (graphic\$5 adj user adj interface)) and report\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:22
11	2469	(GUI or (graphic\$5 adj user adj interface)) same report\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:22
12	553	((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:22
13	48	((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:22

14	122	(((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and record and data adj types	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:23
15	22	(((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj file)) and record and data adj types	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:23
16	11	(((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj file)) and record and data adj types) and format same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:24
17	8	(((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj file)) and record and data adj types) and format same database) and (convert\$4 or conversion) with (format or log or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:28
18	8	(((GUI or (graphic\$5 adj user adj interface)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and (log adj file)) and record and data adj types) and (convert\$4 or conversion) with (format or log or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 14:28